



	DUAL RCD (TYPE A) WITH T2 SPD							
NUMBER OF USABLE WAYS		6	10	10	16		27	 
PART NUMBER WITH T2 SPD		F2006DXA	F2010DXA	F2010DX100	F2016DX100		F2027DX100	
GTIN-13		5060523524211	5060523524396	5060523524228	5060523524167		5060523524105	
INNER CARTON QUANTITY		1	1	1	1		1	
OUTER CARTON QUANTITY		4	4	4	4		2	
DIMENSION DRAWING		14P	18P	18P	24P		36P	
WEIGHT (1PC) Kg		4.8	5	5	5.5		8	
DIMENSIONS (HxWxD)mm		259x306x113	259x378x113	259x378x113	259x486x113		512x378x113	
RCD (TYPE A)		2x 80A 30mA	2x 80A 30mA	2x 100A 30mA	2x 100A 30mA		2x 100A 30mA	
DOUBLE BANK		N	N	N	N		Y	
TAIL CLAMP INCLUDED (ACCF)		Y	Y	Y	Y		Y	
STANDARD	EN 61439-3							
RATED VOLTAGE (Un/AC)	230V							
FREQUENCY (Hz)	50/60							
PROTECTION DEGREE (IP)	2XC							
MAXIMUM TERMINAL BAR CAPACITY	16mm²							
TERMINAL BAR TIGHTENING TORQUE (Nm)	2.0							
MOUNTING	35mm DIN RAIL							
MATERIAL	1mm ELECTRO GALVANISED STEEL (ZINC)							
FINISH	RAL 9001 POWDER COATED SMOOTH FINISH							
KNOCKOUTS	SELECTION 20mm - 40mm							
ACCESSORY PACK	CIRCUIT IDENTIFICATION LABELS / GROMMET STRIP							
ORIGIN OF MANUFACTURE	CHINA							

DIMENSIONS


14P




18P



24P



36P



FuseBox®

www.fusebox.co.uk

sales@fusebox.co.uk