


LOOX 12V/24 ADAPTERS

For connecting Loox5 devices to Loox drivers or Loox distributors, or for connecting Loox devices to Loox5 drivers or Loox5 distributors.

Adapter for devices with Loox plug for connecting to Loox5 driver



12V: Loox socket/Loox5 plug

24V: Loox socket/Loox5 plug



- > For connecting Loox lights to Loox5 drivers or Loox5 distributors.
- > Suitable for all devices with Loox plug, e.g. monochromatic lights, distributors, charging stations, colour mixers for multi-white and RGB as well as electrically operated fittings, convertors, etc.
- > Length: 50 mm
- > Current carrying capacity: Max 3.5 A
- > Drill hole Ø: 12 mm
- > Supplied with: 6 adapters
- > Order qty: 1 pc


- > Not suitable for 3-core Loox plugs (multi-white) or 4-core Loox plugs (RGB)
- > The current carrying capacity is limited to 3.5 A. Observe maximum wattage



Socket	Plug	Max. connected wattage	Cat. No.
12V	Loox5 12V	42W	833.95.753
24V	Loox5 24V	84W	833.77.838



Adapter for devices with Loox5 plug for connecting to Loox driver



12V: Loox5 socket/Loox plug

24V: Loox5 socket/Loox plug



- > For connecting Loox5 devices to Loox drivers or Loox distributors.
- > Suitable for all devices with 2-core Loox5 plug, e.g. monochromatic lights, distributors, charging stations, etc.
- > Length: 45 mm
- > Current carrying capacity: Max 3.5 A
- > Drill hole Ø: 13 mm
- > Supplied with: 6 adapters
- > Order qty: 1 pc

- ! > Not suitable for 4-core Loox5 plugs (multi-white or RGB)
- > The current carrying capacity is limited to 3.5 A. Observe maximum wattage



Socket	Plug	Max. connected wattage	Cat. No.
Loox5 12V	12V	42W	833.95.752
Loox5 24V	24V	84W	833.77.837



TCH DESIGN 2020. © Hafele U.K. Ltd 2020. Dimensional data not binding. We reserve the right to alter specifications without notice.