

Product information

16 95 02 SB

KNIPEX ErgoStrip®

Universal Stripping Tool



- For the fast and precise stripping of all common round and damp-proof installation cables (e.g. NYM cable 3 x 1.5 mm² up to 5 x 2,5 mm²), data cable (e.g. twisted pair) and coax cable
- Innovative, ergonomic pistol grip design for easy cutting, stripping and longitudinal cut of the sheath
- Conical, slimmed down tool ends for better access in confined areas
- Stripping device for cross-sections 0.2 / 0.3 / 0.8 / 1.5 / 2.5 / 4 mm²
- Simplified insertion of single wires for stripping using location ridges
- With opening spring and locking device
- Easy insertion of coax and data cable thanks to opening aid
- Multi-component design with a soft plastic zone for comfortable use and a secure grip
- For left-handers
- Housing made from stable glass fibre reinforced plastic

MM

General

| | |
|-------------|-------------------|
| Article No. | 16 95 02 SB |
| EAN | 4003773082910 |
| weight | 93 g |
| Dimensions | 135 x 165 x 60 mm |


Technische Attribute

| | |
|--|-----------------------------------|
| Stripping capacities round cable (diameter) | Ø 8 – 13 mm |
| Stripping capacities in square millimetres | 0.2 — 4.0 mm ² |
| Stripping capacities for coax cable (diameter) | Ø 4.8 – 7.5 mm |
| Wire stripping value for data cable | CAT 5 - 7, Twisted pair (UTP/STP) |
| Stripping capacities | Ø 8.0 — 13.0 mm |




Classification

| | |
|----------------|------------|
| eCl@ss 5.1.4 | 21040302 |
| ETIM 5.0 | EC000163 |
| ETIM 6.0 | EC000163 |
| proficl@ss 6.0 | AAA002c003 |
| UNSPSC 13.1 | 27112104 |

technical change and errors excepted



Wire stripping on single conductors





Stripping of a coax cable



Stripping of a data cable



Stripping of a NYM cable





