



LOOX5



HÄFELE

LED2103**LED3103****LED2104****LED3104****LED3105****833.74.500-503****833.76.505-508****833.74.505-508****833.76.510-513****833.74.510-513****833.76.515-518****833.74.515-518****833.76.520-523****833.76.500-503****833.76.525-528**


		W/m	← max. (m) →						T _A
			20W	40W	60W	90W	120W		
	LED2103	4.8	4.1	4.8	12.5			5000 x 8 x 1.9 / 196.85 x 0.31 x 0.07	-20°C – +45°C
		9.6	2.0	4.1	8.3				
	LED3103	4.8	4.1	8.3	12.5	18.7	25.0	50000 x 8 x 1.9 / 1968.5 x 0.31 x 0.07	-4°F – +113°F
	LED3104	9.6	2.0	4.1	6.2	9.3	12.5		
	LED3105	14.4	1.3	2.7	4.1	6.2	8.3		




732.28.375

**+**


x	12V
100/3.93	833.74.694
500/19.68	833.74.695
2000/78.74	833.74.696



x	24V
100/3.93	833.75.762
500/19.68	833.75.763
2000/78.74	833.75.764

+

x	12V/24V
50/1.97	833.75.765
2000/78.74	833.75.766

**833.75.767**



HDE 21.02.2024




i







100 - 240 V~





1



B




+




732.28.375

HDE 21.02.2024





732.28.375



HDE 21.02.2024