



	MAIN SWITCH (100A) AND T2 SPD							
NUMBER OF USABLE WAYS	6	10	14	20		21	29	
PART NUMBER WITH T2 SPD	F2006MX	F2010MX	F2014MX	F2020MX		F2021MX	F2029MX	
GTIN-13	5060523523986	5060523524013	5060523524006	5060523524013		5060523524068	5060523524082	
CARTON QUANTITY	6	4	4	4		2	2	
DIMENSION DRAWING	10P	14P	18P	24P		28P	36P	
WEIGHT (1PC) Kg	3	4	4	5		8	8.5	
DIMENSIONS (HxWxD)mm	259x234x113	259x306x113	259x378x113	259x486x113		512x306x113	512x378x113	
DOUBLE BANK	N	N	N	N		Y	Y	
TAIL CLAMP INCLUDED (ACCF)	Y	Y	Y	Y		Y	Y	
STANDARD	EN 61439-3							
RATED VOLTAGE (Un/AC)	230V							
FREQUENCY (Hz)	50/60							
PROTECTION DEGREE (IP)	2XC							
MAXIMUM TERMINAL BAR CAPACITY	16mm ²							
TERMINAL BAR TIGHTENING TORQUE (Nm)	2.0							
DEVICE MOUNTING	35mm DIN RAIL							
MATERIAL	1mm ELECTRO GALVANISED STEEL (ZINC)							
FINISH	RAL 9001 POWDER COATED SMOOTH FINISH							
KNOCKOUTS	SELECTION 20mm - 40mm							
ACCESSORY PACK	CIRCUIT IDENTIFICATION LABELS / GROMMET STRIP							
ORIGIN OF MANUFACTURE	CHINA							


DIMENSIONS

10P


14P



18P



24P



28P

36P

